



BOUDH DISTILLERY PVT. LTD.

Head Office: Plot No- C - 84, Palashpalli, Airport Area, Bhubaneswar - 751020
Odisha, India, Contact: +91-674-2593590

To,

Date: April 05, 2018

The Principal Chief Conservator of Forest, PCCF
Ministry of Env., Forest and Climate Change, Govt. of India,
Regional Office (Eastern Zone), A/3, Chandrasekharpur,
Bhubaneswar-751023

Subject: MoEF Compliance vide letter no. J-11011/160/2015-IA II (I) dated 28th October 2016 AND
Ref: IA/OR/1ND2/27922/2015 DATED 5th May 2016

Dear Sir,

With reference to the above subject we are hereby submitting 6 monthly compliance report as per the conditions stipulated in the Environmental Clearance issued by Ministry of Environment, Forest & Climate Change vide letter no. J-11011/160/2015-IA II (I) dated 28th October 2016 for Grain Based Distillery plant (2 x 60 KLPD) along with Cogeneration Power plant (2 x 2.5 MW) to Boudh Distillery Pvt. Ltd., at Village Titerikata, Post Ramvikata, Tehsil Harabhanga, District Boudh, Orissa

Our project will be implemented in two phases:

Phase 1: 60 KLPD and 2.5 MW Captive Power Plant, which is nearing completion.

Phase 2: 60 KLPD and 2.5 MW Captive Power Plant

Requesting you to accept the report

R. Sahu
05/4/18
MS to APCCF (Central)
GOI, MoE, Env. & Forest
Regional Office
Bhubaneswar-751023

With Regards,

For Boudh Distillery Private Limited

Ritesh Sahu

R. Sahu
Managing Director



Site Address: Butupali, Rajanpali, Boudh Dist., Boudh- 762014, Odisha, India, Contact: +91-7325858222

www.boudhdistillery.com info@boudhdistillery.com




Compliance to the conditions stipulated in the Environmental Clearance issued by Ministry of Environment, Forest & Climate Change vide letter no. J-11011/160/2015-IA II (I) dated 28th October 2016 for Grain Based Distillery plant (2 x 60 KLPD) along with Cogeneration Power plant (2 x 2.5 MW) to Boudh Distillery Pvt. Ltd., at Village Titerikata, Post Ramvikata, Tehsil Harabhanga, District Boudh, Orissa

A. SPECIFIC CONDITIONS


April 05, 2018

S.No.	Specific Conditions	Compliance
i.	ESP along with stack of adequate height shall be provided to coal/biomass fired boiler to control particulate emission within 50 mg/Nm ³ .	We do here by confirm that ESP along with stack of 45 m to each Coal / Biomass fired boiler has been provided to control Particulate Emission within 50 mg/Nm ³
ii.	Total fresh water requirement of 1200 m ³ /day will be met from Mahanadi water supply. No groundwater shall be extracted.	We do be here confirm that total fresh water requirement of 1200 m ³ /day will be met from Mahanadi river only. We also confirm that no groundwater will be used for process purposes.
iii.	Spent wash generation from grain-based distillery shall not exceed 6 Kl/Kl of alcohol. Spent wash shall be treated through decanter and concentrated in multi-effect evaporator (MEE) to form DWGS. DWGS will be sent to dryer to form DOGS. The condensate, spentlees and utilities effluent shall be treated in the ETP comprising tertiary treatment. Treated effluent will be used for make-up water of cooling towers and water quality of treated effluent shall meet the norms prescribed by CPCB/SPCB and recycle/reuse.	Noted and will be followed.
iv.	Spent wash shall be stored in SS tank. The storage of spent wash shall not exceed 5 days capacity.	Spent wash will be stored in SS tank. The storage of spent wash will not exceed 5 days capacity.
v.	As proposed, no effluent from distillery shall be discharged outside the plant premises and Zero discharge shall be adopted. Water consumption shall be reduced by adopting 3 R's (reduce, reuse and recycle) concept in the process.	We do here by confirm that, no effluent from distillery will be discharged outside the plant premises and Zero discharge practice will be maintained.





S.No.	Specific Conditions	Compliance
		We also confirm to take necessary steps to reduce the water consumption by adopting 3 R's (Reduce, Reuse & Recycle).
vi.	Process effluent/any wastewater shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.	We do here by confirm the process effluent / any wastewater will not be allowed to mix with the storm water. Storm water will be passed through guard pond.
vii.	Adequate numbers of ground water quality monitoring stations by providing piezometers around the project area shall be set up. Sampling and trend analysis monitoring must be made on monthly a basis and report submitted to SPCB and this Ministry. The ground water quality monitoring for pH, BOD, COD, Chloride, Sulphate and total dissolved solids shall be monitored. Sampling and trend analysis monitoring must be made on monthly basis and report submitted to the Ministry's Regional Office at Bhubaneswar and SPCB.	Ground water quality monitoring station will be provided around the project area along with Piezometers. Sampling of Ground water will be carried out at these monitoring stations and analysis report comprising of parameters such as pH, BOD, COD, Chloride, Sulphate and total dissolved will be submitted to OSPCB and MoEF&CC on monthly basis.
viii.	Continuous online monitoring (24x7) system to be installed within treatment plant and data to be uploaded to company's web site and also provided to respective Regional Office of MoEF&CC and concerned SPCB/CPCB.	Plant is due for commissioning, Continuous online monitoring (24x7) system has been installed within treatment plant and data will be uploaded in company's web site and will also be provided to MoEF&CC, Regional Office, Bhubaneshwar and concerned SPCB/CPCB.
ix.	Bagasse storage shall be done in such a way that it does not get air borne or fly around due to wind.	Not applicable, as there is no Bagasse storage is envisaged in the project.
x.	Boiler ash shall be stored separately as per CPCB guidelines so that it shall not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing along with the storm water. Direct exposure of workers to fly ash & dust shall be avoided. Bagasse ash and coal ash shall be stored separately.	Boiler ash Silo has been installed, once plant gets commissioned boiler ash will be stored separately in Silo. Also, direct exposure of workers to fly ash & dust will be avoided. No Bagasse storage is envisaged in the project.
xi.	Fire-fighting system shall be as per the norms and cover all areas where alcohol is produced,	Fire-fighting system has been installed as per the norms and all area is covered where alcohol is





S.No.	Specific Conditions	Compliance
	handled and stored. Provision of foam system for fire-fighting shall be made to control fire from the alcohol storage tank. DMP shall be implemented.	produced, handled and stored. Provision of foam system for fire-fighting has been made to control fire from the alcohol storage tank. DMP (Disaster Management Plant) will be implemented.
xii.	Occupational health surveillance programme shall be undertaken as regular exercise for all the employees. The first aid facilities in the occupational health centre shall be strengthened and the regular medical test records of each employee shall be maintained separately.	Medical test records of each employee has been maintained separately.
xiii.	Dedicated parking facility for loading and unloading of materials shall be provided in the factory premises. Unit shall develop and implement good traffic management system for their incoming and outgoing vehicles to avoid congestion on the public road.	Dedicated parking facility for loading and unloading of materials has been provided in the factory premises. We here by confirm to develop and implement good traffic management system for incoming and outgoing vehicles to avoid congestion on the public road.
xiv.	As proposed, green belt over 12 acre of the total project area shall be developed within plant premises with at least 10 meter wide green belt on all sides along the periphery of the project area, in downward direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.	As proposed, green belt of 12 acre of the total project area has been developed within plant premises and more plantation are in process with at least 10-meter-wide green belt on all sides along the periphery of the project area, in downward direction, and along road sides etc. Selection of plant species has been made as per the CPCB guidelines in consultation with the DFO.
xv.	All the commitments made during the Public Hearing/Public Consultation meeting held on 11 th March, 2016 shall be satisfactorily implemented and adequate budget provision shall be made accordingly.	Noted and will be complied.
xvi.	At least 5 % of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESC) based on local needs particularly village named Ramvikata and Titerikata and action plan with financial and physical breakup/details shall be prepared and	Noted and will be complied. An action plan with item wise financial breakup will be prepared in the due course of time and will be submitted to Ministry's Regional Office, Bhubaneswar. Once our plant gets commenced we will provide data.





S.No.	Specific Conditions	Compliance
	submitted to the Ministry's Regional Office at Bhubaneswar. Implementation of such program shall be ensured accordingly in a time bound manner.	

B. GENERAL CONDITIONS

S.No.	General Conditions	Compliance
i.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board (SPCB), State Government and any other statutory authority.	Noted and will be complied.
ii.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Noted and will be complied.
iii.	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Noted and will be complied.
iv.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986	Noted and will be complied.





S.No.	General Conditions	Compliance
	Rules, 1989 viz. 75 dBA (day time) and 70 dBA (nighttime).	
v.	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.	Noted and will be complied.
vi.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Noted and will be complied.
vii.	Usage of Personnel Protection Equipment's (PPEs) by all employees/ workers shall be ensured.	Noted and will be complied.
viii.	The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.	Noted and will be complied.
ix.	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.	Noted and will be complied.
x.	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Noted and will be complied.
xi.	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Noted and will be complied.





S.No.	General Conditions	Compliance
xii.	As proposed, the company shall earmark sufficient funds towards capital cost and recurring cost/annum to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked, for environment management/ pollution control measures shall not be diverted for any other purpose.	Capital Cost for Environment Protection for proposed project : Rs. 26.0 Crores Recurring Cost per annum for Environmental protection : Rs. 2.2 Crores
xiii.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, ZilaParisad / Municipal Corporation, Urban local Body and the local NGO, if any, from who suggestions/ representations, if any, were received while processing the proposal.	Noted and already complied.
xiv.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the State Pollution Control Board. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Noted and is being complied.
xv.	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to	Noted and will be complied.





S.No.	General Conditions	Compliance
	the respective Regional Offices of MoEF by e-mail.	
xvi.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Advertisement has been given in the two local newspapers namely THE TELEGRAPH (English) and NITIDIN (Oriya) on 14.11.2016
xvii.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted and will be complied. The credit facilities has been approved by Bank of India – Ranchi Mid Corporate Branch, dated February 18, 2017